

SR-1550 - SHORT DEPTH 1U RACK COMPUTER / SERVER (6TH GEN)



\$1,770.00 USD

Model: SR-1550

- Only 11.8" Deep, Ideal for shallow racks
- 19" Rack Mount Full Featured PC/Server
- Powerful Intel 6th Gen Core Processors
- PCIe 3.0 x16 Expansion Slot Available
 - Space Saving (1 U) or 1.75" High
 - Massive Drive Storage
- Optional Onboard RAID configurations
 - Built to your Exact Specifications
 - 2 Year Warranty



GALLERY IMAGES



PRODUCT DESCRIPTION

Only 11.8" deep, the Stealth model: SR-1550 is a space saving 1U rack computer / server offering high performance in a small footprint chassis. The all metal 1U (1.75" high) chassis is only 11.8" (300mm) in depth and will easily mount into shallow rack cabinets.

Stealth's popular SR-1550 rack mount computer utilizes the latest Intel 6th Gen Core Processors delivering the ultimate in computing power and designed to meet your demanding application and business requirements. Stealth has carefully selected, tested and qualified the highest quality of components to ensure the utmost in total system performance, reliability and long operational life cycles.

Standard configurations include a PCIe 3.0 x16 riser card for add-in expansion cards as well as plenty of storage space for data archival. Choose from a selection of expansion cards on our online configurator or use your own custom card.

Stealth's Rack server products are designed to work on a continuous 24/7 basis yet are priced to meet your budget. Prior to shipping, each and every system is put through Stealth's rigorous QA burn-in procedure that is documented and controlled through our ISO 9001 quality system.

ADDITIONAL INFORMATION

Processor	Supporting Intel® 6th & 7th Generation Core™ i7, i5, i3 Processors / Supports Intel® 14nm CPUs
Memory	2x DDR4 Memory Sockets Supporting up to 32GB of RAM / Memory Supports all SATA (Serial-ATA) I, II & III Hard Drives (1.5Gb/s, 3Gb/s and 6Gb/s)
Internal Storage	Optional Onboard RAID configurations (0, 1), requires multiple drives Optional Solid State Disk Drive (SSD)
Drive Bays	(1) Slimline Optical Drive Bay (For use with slim Optical Drives) (2) 2.5" Internal drive storage
Expansion Slot(s)	(1) PCIe 3.0 x16 (1) Mini-PCIe Express Slot, ½ sized
Removable Storage	DVDRW/CDRW Slim-Line Optical Drive offered standard Optional DVDRW/Blu-Ray Burner
Video	Integrated Intel HD Graphics 530 Supports up to 3 displays simultaneously DVI-D Max Resolution: 1920 x 1080 HDMI 2.0 Max Resolution: 4096 x 2160 @ 60Hz DP 1.2 Max Resolution: 4096 x 2304 @ 60Hz
Audio	Onboard 5.1 Channel High Definition Audio Codec
Networking	Onboard Dual (2) 10/100/1000Base-T Gigabit LAN, RJ-45 (i211-AT and i219-LM supporting iAMT 11.0 and vPro) Optional support for Fiber, 10GB, Wireless and more (2) Onboard DB9 Serial Ports (1 x RS232, 1 x RS232/RS422/RS485) (6) - USB 3.0 (rear) (2) - USB 2.0 from USB 3.0 controller (front)
Ports	(3) Audio Jacks (Input, Output and MIC) (2) RJ45 10/100/1000 BASE-T Gigabit LAN Port (rear) (1) DVI-D (Digital Only) (1) HDMI (1) DisplayPort
Power Supply	100-240 VAC, 50Hz – 60Hz, 400W power supply (standard) Meets 80PLUS Gold

Operating Systems

Windows 10 (64-bit)
Windows Server 2016
Ubuntu Linux

Please contact us directly for any special requirements

TPM Module

TPM 2.0 (Trusted Platform Module), provides increased hardware security.

Solid State Drives (SSD) SATA
RAID

Slide Rails

Options

3rd Party I/O Cards including RS232, RS485
3rd Party Video or Acceleration Cards
Video capture or input cards
Contact us with any request for configuration

Cooling Fans

(2) Front intake Cooling Fans
(1) Rear Cooling Fan

Environmental

Operating Temperature: 0 – 40C (32 to 104 F)

Dimensions

1.7" H x 19.0" W x 11.8"D (44mm x 483mm x 300mm)

Weight

Approx. 12 lbs / 5.48 kg depending on configuration

Warranty

2 Year limited Warranty, Standard
1 Year Extended Warranty available (see Configurator/Price List)

Disclaimer

Note: Specifications are subject to change without notice.