

SR-3500 - INDUSTRIAL 3U RACK MOUNT COMPUTER / SERVER (10TH GEN)



\$1,655.00 USD

Model: SR-3500

- 3U 19" Rack Mount Full Featured PC/Server w/ Secure Front Door
 - Powerful 10th Generation Intel® Core™ Processors
 - Massive Storage Options up to 28TB & up to 128GB of RAM
 - PCIe Expansion Slots
 - Various Power Supply Options
 - Custom Built to your Exacting Specifications
 - 2 Year Warranty





GALLERY IMAGES







PRODUCT DESCRIPTION

The Stealth model SR-3500 is a high performance Industrial 3U Rack Mount Computer / Server system designed to work on a continuous 24/7 basis yet are priced to meet your budget. Stealth has carefully selected, tested and qualified the highest quality of components to ensure the utmost in total system performance, reliability and long operational life cycles.

The SR-3500 utilizes the latest Intel® 10th Generation Core™ Processors, massive storage options (up to 28TB) & memory up to 128GB. Multiple options for DC input power supplies are also available.

Stealth's Rackmount PC systems are ideal for telephony, industrial control, plant automation,
Datacenter/ISPs, IoT (Internet of Things), IIoT (Industrial Internet of Things), networking, machine vision,
and data acquisition applications to name a few.

Stealth's popular 3U Rack Mount systems prior to shipping each and every system is put through Stealth's rigorous QA burn-in procedure that is documented and controlled through our ISO 9001 quality system.



Processor

Drive Bays

Expansion Slot(s)

ADDITIONAL INFORMATION

Supporting Intel®'s 10th Generation Core™ Processors (Comet Lake)

Intel® Core™ i3-10100 (4 Cores / 8 Threads, up to 4.30GHz)
Intel® Core™ i5-10400 (6 Cores / 12 Threads, up to 4.30GHz)

Intel® Core $^{\text{TM}}$ i7-10700 (8 Cores / 16 Threads, up to 4.80GHz) Intel® Core $^{\text{TM}}$ i9-10900 (10 Cores / 20 Threads, up to 5.20GHz)

Memory 4 DDR4 Memory Sockets supporting up to 128GB RAM / Memory

(1) 3.5" Internal Drive Bay

(6) 5.25" Open Bay (For use with 5.25" Optical Drives, internal Hard

Drives, etc.)

(1) 3.5" Open Bay (For use with 3.5" Drives including 1.44MB

Floppy, Zip, etc.)

1 x M.2 Socket 3, with M key, type 2242/2260/2280 storage devices

support (SATA & PCIE 3.0 x 4 mode)

1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage

devices support (PCIE 3.0 x 4 mode)

(4) PCIe 3.0 x1

1 x PCle x16 3.0 Slot

1 x PCle x16 3.0 (max at x4 mode)

Video Intel® UHD Graphics 630

Audio Onboard 8-Channel High Definition Audio CODEC

TPM Module

Optional TPM 2.0 (Trusted Platform Module), provides increased

hardware security.

Networking Onboard 10/100/1000Base-T Gigabit LAN, RJ-45

Optional support for Fiber, 10GB, Wireless and more

(1) USB 3.2 Gen 2 Type-A (rear mounted)

(1) USB 3.2 Gen 2 Type-C (rear mounted)

(2) USB 3.2 Gen 1 (rear mounted)

(4) USB 2.0 Ports (Rear Mounted)

Ports (2) USB 2.0 / 1.1 ports (front-mount)

(1) RJ45 10/100/1000 BASE-T Gigabit LAN Port

(3) Audio Jacks (Input, Output and MIC)

(1) HDMI

(1) DisplayPort



Operating Systems

90-264 VAC, 47Hz-63Hz, 600W High Efficiency power supply

(standard)

Power Supply
Optional Redundant Power Supplies

Optional 12, 24, 48, 125 and more DC input available

Windows Server 2019

Windows 10 (64-bit)

Ubuntu Linux

Please contact us directly for any special requirements

Cooling Fans Dual rear-mounted cooling fans, removable front filter

Environmental Operating Temperature: 0~50C (32~122F)

Dimensions 19.0" W x 5.25" H x 21.0"D (482.6mm x 133.35mm x 533.4mm)

Weight Approx. 45 lbs. (20.5 kgs) depending on configuration

Warranty 2 Year limited Warranty, Standard

1 Year Extended Warranty available (see Configurator/Price List)

Disclaimer Note: Specifications are subject to change without notice.