

### **5000-DU-TP2 - RUGGED INDUSTRIAL DESKTOP KEYBOARD**



# \$520.00 USD

#### Industrial desktop keyboard, w/ Built-in Touchpad Mouse

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - ABS-Polycarbonate Sealed Plastic Case
  - 116 Keys including 24 function keys and Windows Key
    - Integrated Touchpad with 2 mouse buttons)
    - Greater than 10 Million cycles expected life
      - Includes 10' cable (specify PS/2 or USB)





## **PRODUCT DESCRIPTION**

The Stealth Computer model 5000-DU-TP2 is a sealed NEMA 4, 4X / IP65 rated keyboard with an ABS polycarbonate case. It has 116-keys including 24 function keys and a Windows Key. The integrated touchpad pointing device and mouse buttons provides a total solution. The mounting holes on the back further increase the unit's versatility.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.



## **ADDITIONAL INFORMATION**

Industrial Approvals	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
Key Switch	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.055" (1.4mm) Actuation Force: 6.35oz +/- 1.06oz (180g+/-30g) Feedback: Tactile with mechanical snap
Power	PS/2 Keyboard: 50mA @ 5V (from keyboard port) PS/2 Touchpad / Mouse: 10mA @ 5V (from mouse port) USB Keyboard / Mouse: 60mA @ 5V (from USB port)
Temperature Range	Operating: -20C to +60C (-4F to +140F) Storage: -40C to +70C (-40F to +158F)
Humidity	100% (when properly installed)
Shock	$3 \times 11$ ms pulses of 50g on each of 3 axes
Vibration	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
Dimensions	(W-D-H) 14.94" x 6.63" x 1.81" (379.5mm x 168.4mm x 45.9mm)
Cable	Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable
Compatibility	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
Additional Options	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available – Contact us for more details, Minimum quantities may apply.
Warranty	1 Year limited Warranty Standard
Model Numbers	5000-DU-TP2-PS/2 (PS/2 Interface) 5000-DU-TP2-USB (USB Interface)
Disclaimer	Note: Specifications are subject to change without notice.