

STEALTHMOUSE - DESKTOP WATERPROOF MOUSE



\$175.00 USD

Rugged Waterproof Mouse

- Optical, NEMA 4X / IP65 Waterproof Mouse
 - Smooth-Surface Buttons
 - Optical Tracking Technology
 - Comfortable, Ergonomic Design
- Features a sealed, industrial silicone overlay and robust ABS polycarbonate frame
 - USB connector and adapter for PS/2





PRODUCT DESCRIPTION

The StealthMOUSE is an optical, waterproof mouse suited for industrial, medical, marine applications or environments that contain dust, moisture or other liquids that your typical office mouse can't stand up to. Stealth's rugged pointing device is constructed from an industrial silicone overlay and durable polycarbonate frame.

Like Stealth's industrial keyboards and pointing devices this optical mouse also meets NEMA 4X/ IP65 standards. The reliable optical technology provides for pinpoint accuracy functioning on most surfaces. The StealthMOUSE has two "click" buttons and comes with a standard USB connector and a PS/2 adapter. The StealthMOUSE is plug and play, Microsoft compatible requiring no special drivers to operate.



ADDITIONAL INFORMATION

Industrial Approvals NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B

Key SwitchMaterial: Industrial Silicone Rubber

Feedback: Tactile with mechanical snap

Power 5V@50ma (from mouse conn. port)

Temperature Range
Operating: -40C to +60C (-40F to 140F)

Storage: -40C to +90C (-40F to +194F)

Humidity 100%

Shock 3×11 ms pulses of 50g on each of 3 axes

Vibration Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz,

Duration of Test per Axis: 3 hours

Dimensions (W-H-D) 2.58" x 1.56" x 5.0" 65.5mm x 39.7mm x 127.0mm

Cable Length: 6 feet, Design: PS/2 or Single Cable USB

Compatibility Compatible with all Windows Operating Systems

Warranty 1 Year limited Warranty Standard

Model Numbers

StealthMOUSE-PS/2 (PS/2 Interface)

StealthMOUSE-USB (USB Interface)

Disclaimer Note: Specifications are subject to change without notice.