

TBLX-PM-USB - RUGGED, VANDAL RESISTANT PANEL MOUNT MOUSE




\$250.00 USD

Rugged, Vandal Resistant, Sealed Trackball Mouse

- Panel mount, Trackball, 3-button Mouse
- Rugged Stainless Steel, Vandal Resistant
 - IP65 dynamic (front panel), NEMA3
- High Resolution 1200DPI Optical Trackball
- -20 to +60C (-4 to 140F) Temperature Range
- Ideal for Kiosks and Public Access applications
 - Includes USB cable



GALLERY IMAGES



PRODUCT DESCRIPTION

The Stealth model TBLX-PM-USB trackball mouse is an industrial grade pointing device housed in a rugged vandal resistant stainless steel panel mount enclosure. The TBLX-PM-USB features a high resolution trackball and 3 button mouse and is ideal for Kiosks and Public Access applications.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.

ADDITIONAL INFORMATION

Industrial Approvals

IP65 dynamic (front panel), NEMA3 RoHS Compliant, CE and FCC

Key Switch

Material/Style: Brushed stainless steel buttons

Life: >10 million actuations

Travel: 1.00mm (0.039")

Contact: Stainless steel switch

Trackball: 38mm (1.5") diameter

Life: >10 million revolutions

Power

Supply Voltage: +5V DC +/-10%

Current Rating: Approx. 30mA

Temperature Range

Operating: -20C to +60C (-4F to +140F)

Storage: -40C to +70C (-40F to +158F)

Atmospheric pressure: 60-106Kpa.

Humidity

30-90%

Housing

Rugged, Vandal Resistant Stainless Steel casing

Dimensions

(W-H-D) 4.21" x 5.27" x 1.92" (107mm x 134mm x 49mm)

Cable

Length: 5.75 feet (1.75m)

Design: Single Cable USB

Compatibility

Compatible with all Windows Operating Systems

Warranty

1 Year limited Warranty Standard

Model Numbers

TBLX-PM-USB (USB Interface)

Disclaimer

Note: Specifications are subject to change without notice.