

#### **1000-DT - STAINLESS STEEL INDUSTRIAL DESKTOP KEYBOARD**



# \$500.00 USD

### Rugged Sealed Stainless Steel Keyboard

- Environmentally Sealed to NEMA 4, 4X / IP65 specifications
  - Rugged Stainless Steel Case
  - 116 Keys, 24 Function Keys, Numeric Keypad
  - Greater than 10 Million cycles expected life
    - PS/2 or USB connectors





## **PRODUCT DESCRIPTION**

The Stealth Computer model 1000-DT is a full-sized desktop keyboard, featuring a stainless steel case, a sealed, industrial silicone rubber key pad, 116 Keys, 24 function keys and a 10-key number pad. The 1000-DT meets NEMA 4, 4X / IP65 specifications, making it resistant to dust, dirt, water and corrosive liquids.

Stealth has a wide variety of rugged industrial keyboards & pointing devices and have been designed for use in a multitude of applications including HMI, operator interface, shop floor, data acquisition, kiosks, medical carts, mobile mount, and outdoor use to name a few.



## **ADDITIONAL INFORMATION**

Industrial Approvals	NEMA 4, 4X / IP65 UL 60950, CE, FCC Class B
Key Switch	Material: Industrial Silicone Rubber Life: Greater than 10 million cycles Travel: 0.060" (1.5mm) Actuation Force: 6.35oz +/- 1.06oz (180g+/-30g) Feedback: Tactile with mechanical snap
Power	Keyboard: 5V@50ma (from CPU Port)
Temperature Range	Operating: -40C to +70C (-40F to +158F) Storage: -40C to +90C (-40F to +194F)
Humidity	100% (when properly installed)
Shock	$3 \times 11$ ms pulses of 50g on each of 3 axes
Vibration	Power Spectral Density: 0.04g/Hz, Frequency Range: 20Hz-2kHz, Duration of Test per Axis: 3 hours
Dimensions	(W-H-D) 16.25" x 7.9" x 1.9" (412.8mm x 200.7mm x 48.3mm)
Cable	Design: 10 Feet (3.05 meters) Single 10' "Y-Split" Cable with PS/2 Connectors, or Single USB Cable
Compatibility	PS/2: All windows operating systems most Linux/Unix Systems, USB: All windows operating systems, MAC OS and most Linux/Unix Systems
Additional Options	Custom cable lengths, special connectors, custom enclosures etc Other Languages Available – Contact us for more details, Minimum quantities may apply.
Warranty	1 Year limited Warranty Standard
Model Numbers	1000-DT-PS/2 (PS/2 Interface) 1000-DT-USB (USB Interface)
Disclaimer	Note: Specifications are subject to change without notice.