



5U High, Industrial Rackmount PC Server with Integrated flat panel LCD display

- Built-in 12.1" 400cd/m2 TFT LCD Monitor
- Optional Touchscreen
- Powerful CPU's, Intel 2nd Gen i7, i5, i3 & Xeon
- AC/DC Power Supplies w/ Redundant Options
- **2-Year Warranty**
- **CUSTOM BUILT - to meet your exact needs**

- Other Similar Stealth Racks Available:
4U Rackmount with 7" LCD Monitor

SR-5500A 5U High, Industrial Rackmount PC

The **SR-5500A** industrial computer is ideal for applications that require a rugged, rack mount PC with a built-in 12.1" LCD Monitor and expansion capability. Systems are configured with an industry standard ATX-style mainboard. For two decades Stealth has provided thousands of proven reliable product solutions that have assisted clients with a myriad of applications. Our impressive customer base includes a wide range of customers from single man operations to Fortune 500 companies, Military installations and Governments worldwide.




SR-5500A Specifications

- **System Highlights**
 - Integrated 12.1" 400cd/m2 TFT LCD Display
 - Built-In 66-button waterproof Membrane Keypad complete with OSD set-up buttons (acts as a Keyboard)
 - PCI and PCIe expansion slots for add-on cards
 - Locking/latching door over the drive bays for added security
- **Customizable to meet any requirement you may have from Processor Support, Expansion and Operating System Support**
- **Processors:**
 - Supporting Intel® 2nd Generation Core™ i7 Processor/ Core™ i5 Processor/Core™ i3 Processor / Support Intel® 32nm CPU (Code name Sandy Bridge)
 - Optional support for Intel Xeon, Core 2 Duo and Core 2 Quad
 - Optional support for AMD Processors including Opteron
- **Power Supply:**
 - 100 ~ 240V AC Auto-Ranging Power supply, 550W ATX (standard) Meets 80PLUS Bronze
 - Optional Redundant Power Supplies Available upon Request
 - Optional 12, 24, 48, 125 and more DC input available
(Call Stealth for your requirement)



Volts DC Input
— — —



- **Memory:**
 - Dual-Channel memory architecture
 - 4 DDR3 Memory Sockets Supporting up to 32GB of RAM / Memory
 - Additional customized solutions which include Triple-Channel or higher memory configurations
- **Hard Drives:**
 - Supports all SATA (Serial-ATA) I, II & III Hard Drives (1.5Gb/s, 3Gb/s and 6Gb/s)
 - Optional support for SAS (Serial Attached SCSI), SCSI or Solid State Hard Drives (SSD)
 - Optional RAID configurations (0, 1, 5, 10 and more),
 - Optional Intel Smart Response Technology on supported Processors
- **Drive Bays:**
 - (1) 5.25" and (1) 3.5" external bay
 - (1) 3.5" internal drive bay
- **Removable Storage:**
 - DVD/CD optical Drive offered standard (uses 1 x 5.25" Bay)
 - Support for all Standard 5.25" Optical Disk Drives
 - Options include DVD-RW / CD-RW, DVD-RW / Blu-Ray Burner
 - Optional USB 1.44MB 3.5" Floppy Drive
- **Video Adapter:**
 - Integrated Video controller with VGA (max resolution 1920 x 1200 @ 60 Hz), DVI-D (max resolution 1920 x 1200 @ 60 Hz) and HDMI (max resolution of 2048 x 1536 @ 75 Hz)
 - Maximum shared memory of 1748 MB
 - Supports AMD (ATI) Quad-GPU CrossFireX Technology
 - Custom or special requested video cards available
 - Patch cable required for onboard LCD (included), uses VGA connection
- **LCD Monitor:**
 - 12.1" TFT, 800 x 600 Native Resolution with front-mounted OSD control panel
 - Display Colors: 262,144 colors
 - Brightness: 400 nits (400cd/m²)
 - Contrast: 500:1
 - Viewing Angle: 140 / 110
 - Backlight MTBF: 50,000 hrs
 - OPTIONAL: 5-Wire Resistive Touch Screen with RS-232 interface (serial)
- **Keyboard:**
 - Built-In 66-button waterproof Membrane Keypad
 - 12 Function keys, full Alphabet and Number keys and OSD set-up buttons (acts as a Keyboard)
 - Click here to see the keyboard layout
- **Expansion Slots**
 - Standard offering includes (1) PCIe 2.0 x16 (operates at x16), (1) PCIe 2.0 x16 (operates at x4 max), (2) PCIe 2.0 x1 and (3) PCI
 - NOTE: PCIe x16 slots support ATI® Quad-GPU CrossFireX™ Technology
 - Additional options available, please contact Stealth
- **Audio**
 - Onboard 8-Channel High Definition Audio CODEC
- **Networking**
 - Onboard 10/100/1000Base-T Gigabit LAN, RJ-45
 - Optional support for Fiber, 10GB, Wireless and more
- **Ports:**
 - (1) Optional onboard DB9 Serial / RS232
 - (4) - USB 2.0 / 1.1 Ports (rear-mount)
 - (2) - USB 3.0 / 2.0 Ports (rear-mounted)
- **Expansion Slots:**
 - Standard offering includes (1) PCIe 2.0 x16 (operates at x16), (1) PCIe 2.0 x16 (operates at x4 max), (2) PCIe 2.0 x1 and (3) PCI
 - NOTE: PCIe x16 slots support AMD (ATI) Quad-GPU CrossFireX™ Technology
 - Additional options available, please contact Stealth
- **Cooling Fans**
 - 1 Internal blower vending the side
 - 2 Front intake fans behind LCD
 - ½ sized latching/locking door
- **Additional Options**
 - Resistive Touchscreen interface (serial)
 - 64 Bit Processors
 - SCSI interface and hard drives
 - SAS (Serial attached SCSI) Drives and controllers
 - Solid State Disk Drives
 - RAID
 - Slide Rails
 - Redundant Power supplies
 - DC input power options
 - 3rd Party IO Cards including RS232, RS485
 - 3rd Party Video or Acceleration Cards
 - Video capture or input cards
 - **BUILT TO ORDER!**
 - **Contact us with any request for configuration!**
- **Optional Accessories**
 - Chassis Slide Rails
 - Serial Cards
 - RS422/485 Serial Outputs
 - Third Party I/O Cards (customer specified)
- **Operating Temperature:**
 - Operating 0-45 C,
 - Humidity - 5% -95% Non-condensing
- **Dimensions / Chassis Information:**
 - 19.0" W x 8.7" H x 18.5"D (483mm x 220mm x 470mm)
 - 14 gauge steel chassis c/w front locking/latching door over drive bays
 - (2) x intake cooling fans; (1) x exhaust fan
 - Color: Beige
 - Expansion Card Hold Down Bracket
 - Dimensional Drawing 
- **Weight:**
 - Approx. 50lbs. typical weight

- (2) - USB 2.0 / 1.1 ports (front-mount)
- (1) RJ45 10/100/1000 BASE-T Gigabit LAN Port
- 8-channel High Definition Audio Codec
- (1) Optical S/PDIF Out port
- (1) Combo PS/2 Port (Keyboard or Mouse)
- Front Keypad requires patch cable from rear PS/2 port (included, uses combo PS/2 port above)

- **Operating System:**

- Windows 7 (32-Bit / 64-Bit), Windows XP (32-Bit / 64-Bit), Windows Vista (32-Bit / 64-Bit), Windows Server 2003, Windows Server 2008, Ubuntu Linux and more
- Contact us for your specific operating system requirement to discuss compatibility

***Note:** 64-Bit Support is dependent on using a 64-Bit Supported CPU



(depending on configuration)

- **Warranty:**
 - 2 Year limited Warranty, Standard
 - Extended Warranty available, contact Stealth for more info.



(front panel open)



(rear)



(top inside open)



(front)